

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S11 4	18	(("6684250") or ("6529475") or ("6347078") or ("6332158") or ("6330239") or ("6327677") or ("6285748") or ("6285660") or ("6272150") or ("6266607") or ("6069939") or ("5974457") or ("5920697") or ("5774668") or ("5459863") or ("5231631") or ("4939726") or ("4939723")).PN.	USPAT	OR	OFF	2007/06/04 19:08
S11 5	1	"6130890".pn. and (zip or city or county or state or area or region)	USPAT	OR	OFF	2007/06/04 19:09
S12 1	167	different same (zip or city or county or state or area adj2 code or region) same traffic and "709"/\$.ccls.	USPAT	OR	OFF	2007/06/04 19:10
S12 0	1676	different same (zip or city or county or state or area adj2 code or region) same traffic	USPAT	OR	OFF	2007/06/04 19:10
S11 9	2415	S117 and S118	USPAT	OR	OFF	2007/06/04 19:10
S11 8	16134	709/217,218,219,223,224,225,226,232,233,235,238,239,245,249,250.ccls.	USPAT	OR	OFF	2007/06/04 19:10
S11 7	289846	different same (zip or city or county or state or area adj2 code or region)	USPAT	OR	OFF	2007/06/04 19:10
S63	103	((709/217,218,219,223,224,225,226,232,233,235,238,239,245,249,250.ccls. and (bandwidth and maximum and available) and network) and traffic) and geographic	USPAT	OR	OFF	2007/06/04 19:10
S12 3	7	(different with source with destination) same (zip or city or county or state or area adj2 code or region) same traffic and "709"/\$.ccls. and @ad<"19990503"	USPAT	OR	OFF	2007/06/04 19:11
S12 2	59	different same (zip or city or county or state or area adj2 code or region) same traffic and "709"/\$.ccls. and @ad<"19990503"	USPAT	OR	OFF	2007/06/04 19:11
S12 4	11	(different with source with destination) same (zip or city or county or state or area adj2 code or region) and "709"/\$.ccls. and @ad<"19990503"	USPAT	OR	OFF	2007/06/04 19:12

EAST Search History

S12 9	2922	(geographic or location) same different with (zip or city or county or state or area adj2 code or region) and @ad<"19990503"	USPAT	OR	OFF	2007/06/04 19:13
S12 7	18	geographic same different with (zip or city or county or state or area adj2 code or region) and "709"/\$.ccls. and @ad<"19990503"	USPAT	OR	OFF	2007/06/04 19:13
S12 6	35	different same geographic same (zip or city or county or state or area adj2 code or region) and "709"/\$.ccls. and @ad<"19990503"	USPAT	OR	OFF	2007/06/04 19:13
S12 5	156	geographic same (zip or city or county or state or area adj2 code or region) and "709"/\$.ccls. and @ad<"19990503"	USPAT	OR	OFF	2007/06/04 19:13
S13 0	131	(geographic or location) same different with (zip or city or county or state or area adj2 code or region) and "370"/\$.ccls. and @ad<"19990503"	USPAT	OR	OFF	2007/06/04 19:14
S11 6	1	"6130890".pn. and (zip or city or county or state or area adj2 code or region)	USPAT	OR	OFF	2007/06/05 18:23
S13 3	1	"6130890".pn. and geographic with area\$1	USPAT	OR	OFF	2007/06/05 18:26
S13 1	1	"6130890".pn. and (zip or cit\$4 or count\$4 or state\$1 or area adj2 code\$1 or region\$1)	USPAT	OR	OFF	2007/06/05 18:26
S13 5	2	(geographic or location) same traffic same (maps or mapping or map) with (zip or city or county or state or area adj2 code or region) and "709"/\$.ccls. and @ad<"19990503"	USPAT	OR	OFF	2007/06/06 13:46
S13 4	41	(geographic or location) same (maps or mapping or map) with (zip or city or county or state or area adj2 code or region) and "709"/\$.ccls. and @ad<"19990503"	USPAT	OR	OFF	2007/06/06 13:46
S12 8	70	(geographic or location) same different with (zip or city or county or state or area adj2 code or region) and "709"/\$.ccls. and @ad<"19990503"	USPAT	OR	OFF	2007/06/06 13:46
S13 7	0	"6130890".pn. and intermed\$	USPAT	OR	OFF	2007/06/06 14:09
S13 2	1	"6130890".pn. and different with area\$1	USPAT	OR	OFF	2007/06/06 14:09

EAST Search History

S77	1	"6130890".pn. and geographic	USPAT	OR	OFF	2007/06/06 14:14
S14 0	54	bandwidth near2 available near3 destination and bandwidth and ad@<"19990503"	USPAT	OR	OFF	2007/06/07 15:46
S13 9	54	bandwidth near2 available near3 destination and bandwidth	USPAT	OR	OFF	2007/06/07 15:46
S14 2	28	bandwidth near2 available near3 destination and @ad<"19990503"	USPAT	OR	OFF	2007/06/07 15:47
S14 3	13	bandwidth near2 available near3 destination and bandwidth with rout\$4 and @ad<"19990503"	USPAT	OR	OFF	2007/06/07 16:34
S14 5	10840	destination\$1 with (select\$4 or choos\$4) and @ad<"19990503"	USPAT	OR	OFF	2007/06/07 16:36
S14 4	3	bandwidth near2 available near3 destination and bandwidth with rout\$4 and destination\$1 with (select\$4 or choos\$4) and @ad<"19990503"	USPAT	OR	OFF	2007/06/07 16:36
S14 9	1	destination\$1 and "6577653".pn.	USPAT	OR	OFF	2007/06/07 17:39
S14 8	0	destination\$1 near3 (select\$4 or choos\$4) with bandwidth and "6577653".pn.	USPAT	OR	OFF	2007/06/07 17:39
S14 7	26	destination\$1 near3 (select\$4 or choos\$4) with bandwidth and @ad<"19990503"	USPAT	OR	OFF	2007/06/07 17:39
S13 6	0	"6130890".pn. and intermediate	USPAT	OR	OFF	2007/06/14 17:46
S15 0	1	"6130890".pn. and server	USPAT	OR	OFF	2007/06/14 17:47
S15 1	1	"6130890".pn. and server\$	USPAT	OR	OFF	2007/06/18 15:26
S14 1	28	bandwidth near2 available near3 destination and bandwidth and @ad<"19990503"	USPAT	OR	OFF	2007/06/18 15:26
L1	7563	confidence with level	USPAT	OR	OFF	2007/06/18 15:26
L2	4266	confidence with level and @ad<"19990503"	USPAT	OR	OFF	2007/06/18 15:27
S13 8	1	"6130890".pn. and geograph\$	USPAT	OR	OFF	2007/06/18 15:28
L6	1	"6130890".pn. and (level\$4 or rat\$4 or rank\$4 or status)	USPAT	OR	OFF	2007/06/18 15:30
L4	1	"6130890".pn. and (level\$4 or rat\$4)	USPAT	OR	OFF	2007/06/18 15:30

EAST Search History

L3	63	confidence with level and @ad<"19990503" and "709"/\$.ccls.	USPAT	OR	OFF	2007/06/18 15:39
L8	2	confidence with level same (ip or geograph\$) and @ad<"19990503" and "709"/\$.ccls. and confidence	USPAT	OR	OFF	2007/06/18 15:40
L7	2	confidence with level same (ip or geograph\$) and @ad<"19990503" and "709"/\$.ccls.	USPAT	OR	OFF	2007/06/18 15:40
L9	0	"6130890".pn. and bandwidth	USPAT	OR	OFF	2007/06/18 15:46
L5	1	"6130890".pn. and (level\$4 or rat\$4 or rank\$4)	USPAT	OR	OFF	2007/06/18 15:46
S14 6	75	destination\$1 with (select\$4 or choos\$4) with bandwidth and @ad<"19990503"	USPAT	OR	OFF	2007/06/18 15:48
L13	461	destination\$1 near2 (select\$4 or choos\$4 or pick) and @ad<"19990503" and "709"/\$.ccls.	USPAT	OR	OFF	2007/06/18 15:49
L12	1063	destination\$1 with (select\$4 or choos\$4 or pick) and @ad<"19990503" and "709"/\$.ccls.	USPAT	OR	OFF	2007/06/18 15:49
L11	11027	destination\$1 with (select\$4 or choos\$4 or pick) and @ad<"19990503"	USPAT	OR	OFF	2007/06/18 15:49
L10	11027	destination\$1 with (select\$4 or choos\$4 or pick) and @ad<"19990503"	USPAT	OR	OFF	2007/06/18 15:49
L15	24	(select\$4 or choos\$4 or pick) near2 destination\$1 near4 based and @ad<"19990503" and "709"/\$.ccls.	USPAT	OR	OFF	2007/06/18 15:50
L14	24	destination\$1 near2 (select\$4 or choos\$4 or pick) near4 based and @ad<"19990503" and "709"/\$.ccls.	USPAT	OR	OFF	2007/06/18 15:50